

MATERIAL SAFETY DATA SHEET


Part Number - C2060-8923
MSDS - 01-046

PRODUCT NAME: G-40M

CHEMICAL NAME: Organopolysiloxane mixture
HAZARD CLASSIFICATION: None (based on IMO)

MANUFACTURER'S NAME: Shin-Etsu Chemical Co., Ltd.
ADDRESS: 6-1, 2-Chome, Ohtemachi, Chiyodaku, Tokyo, JAPAN
EMERGENCY TELEPHONE NUMBER: 03-246-5171 (Tokyo, JAPAN)
0273-85-2111 (Gunma, JAPAN)
TELEPHONE NUMBER FOR INFORMATION: 03-246-5171 (Tokyo, JAPAN)
DATE PREPARED: July 04, 1988
DATE ISSUED: March 01, 1990

ISSUED BY:


M. SEINO

SECTION I HAZARDOUS INGREDIENT

<u>HAZARDOUS COMPONENTS</u>	<u>%</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>OTHER LIMITS</u>
No hazardous materials present				

SECTION II PHYSICAL AND CHEMICAL DATA

BOILING POINT (°C) : Not applicable
VAPOR PRESSURE(mmHg) : Negligible
VAPOR DENSITY (AIR=1): Not applicable
SPECIFIC GRAVITY : 1.05 (at 25 degrees C)
MELTING POINT (°C) : Not applicable
EVAPORATION RATE : Negligible (Butyl Acetate=1)
SOLUBILITY IN WATER : Not soluble
APPEARANCE AND ODOR : Light-brown and odorless grease

domestic

MATERIAL SAFETY DATA SHEET


Part Number - C2060-8923
MSDS - 01-046

PRODUCT NAME: G-40M

CHEMICAL NAME: Organopolysiloxane mixture
HAZARD CLASSIFICATION: None (based on IMO)

MANUFACTURER'S NAME: Shin-Etsu Chemical Co., Ltd.
ADDRESS: 6-1, 2-Chome, Ohtemachi, Chiyodaku, Tokyo, JAPAN
EMERGENCY TELEPHONE NUMBER: 03-246-5171 (Tokyo, JAPAN)
0273-85-2111 (Gunma, JAPAN)
TELEPHONE NUMBER FOR INFORMATION: 03-246-5171 (Tokyo, JAPAN)
DATE PREPARED: July 04, 1988
DATE ISSUED: March 01, 1990

ISSUED BY:


M. SEINO

SECTION I HAZARDOUS INGREDIENT

<u>HAZARDOUS COMPONENTS</u>	<u>%</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>OTHER LIMITS</u>
No hazardous materials present				

SECTION II PHYSICAL AND CHEMICAL DATA

BOILING POINT (°C) : Not applicable
VAPOR PRESSURE(mmHg) : Negligible
VAPOR DENSITY (AIR=1): Not applicable
SPECIFIC GRAVITY : 1.05 (at 25 degrees C)
MELTING POINT (°C) : Not applicable
EVAPORATION RATE : Negligible (Butyl Acetate=1)
SOLUBILITY IN WATER : Not soluble
APPEARANCE AND ODOR : Light-brown and odorless grease

domestic

SECTION VI CONTROL AND PROTECTIVE MEASURES

RESPIRATORY PROTECTION(specify type): Not required
VENTILATION LOCAL EXHAUST: Not required
MECHANICAL(general): Not required
SPECIAL: Not required OTHER: Not required
PROTECTIVE GLOVES: Plastic film or rubber gloves
EYE PROTECTION: Safety glasses
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Eyewash equipment
WORK/HYGIENIC PRACTICES: Wash hands and eyes, and gargle after handling.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:
Contain the spill or leak.
Scrape up with cardboard or rag and place in container.

WASTE DISPOSAL METHOD:

Can be burned in accordance with regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

Keep container closed when not in use.
Store in a cool place.
Keep away from heat and flame.
Don't lay the container on its side.
Avoid contact with eyes and prolonged or repeated skin contact.

OTHER PRECAUTIONS:

Not required

*Remarks : 1.ROUTE(S) OF ENTRY / "Y" means "Yes".
2.CARCINOGENICITY / "N" means "Not listed".

Copyright Shin-Etsu Chemical Co., Ltd. 1990

This material safety data sheet is offered solely for your information, consideration and investigation. Shin-Etsu Chemical Co., Ltd provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.

